

Lecture 19: Hidden Markov Models

Nicholas Ruozzi

University of Texas at Dallas

Unobserved Variables

- **Latent or hidden variables** in the model are never observed
 - We may or may not be interested in their values, but their existence is crucial to the model
- Some observations in a particular sample may be **missing**
 - Missing information on surveys or medical records (quite common)
 - We may need to model how the variables are missing

Learning with Latent Variables

- Log-likelihood with latent variables:

$$\begin{aligned}\log l(\theta) &= \sum_{i=1}^N \log p(x^{(i)} | \theta) \\ &= \sum_{i=1}^N \log \sum_y p(x^{(i)}, y | \theta)\end{aligned}$$

– Again, this is typically not a concave function of θ

- We will apply the same trick that we did with GMMs last lecture

Expectation Maximization

$$\begin{aligned}\log l(\theta) &= \sum_{i=1}^N \log p(x^{(i)} | \theta) \\ &= \sum_{i=1}^N \log \sum_y p(x^{(i)}, y | \theta) \\ &= \sum_{i=1}^N \log \sum_y q_i(y) \cdot \frac{p(x^{(i)}, y | \theta)}{q_i(y)} \\ &\geq \sum_{i=1}^N \sum_y q_i(y) \log \frac{p(x^{(i)}, y | \theta)}{q_i(y)}\end{aligned}$$

Expectation Maximization

$$F(q, \theta) \equiv \sum_{i=1}^N \sum_y q_i(y) \log \frac{p(x^{(i)}, y | \theta)}{q_i(y)}$$

- Maximizing F is equivalent to the maximizing the log-likelihood
- Maximize it using coordinate ascent

$$q^{t+1} = \arg \max_{q_1, \dots, q_K} F(q, \theta^t)$$

$$\theta^{t+1} = \operatorname{argmax}_{\theta} F(q^{t+1}, \theta)$$


Expectation Maximization

$$\sum_{i=1}^N \sum_y q_i(y) \log \frac{p(x^{(i)}, y | \theta^t)}{q_i(y)}$$

- Maximized when $q_i(y) = p(y|x^{(i)}, \theta^t)$
- Can reformulate the EM algorithm as

$$\theta^{t+1} = \operatorname{argmax}_{\theta} \sum_{i=1}^N \sum_y p(y|x^{(i)}, \theta^t) \log p(x^{(i)}, y | \theta)$$

Hidden Markov Models



$$p(x_1, \dots, x_T, y_1, \dots, y_T) = p(y_1)p(x_1|y_1) \prod_t p(y_t|y_{t-1})p(x_t|y_t)$$

- X 's are observed variables, Y 's are latent/hidden
- Time homogenous: $p(y_t = j|y_{t-1} = i) = p(y_{t'} = j|y_{t'-1} = i)$
- For learning, we are given sequences of observations

Markov Chains

- A Markov chain is a sequence of random variables $X_1, \dots, X_T \in S$ such that

$$p(x_{t+1}|x_1, \dots, x_T) = p(x_{t+1}|x_t)$$

- The set S is called the state space, and $p(X_{t+1} = j|X_t = i)$ is the probability of transitioning from state i to state j at step t

Markov Chains

- When the probability of transitioning between two states does not depend on time, we call it a time homogeneous Markov chain
 - Represent it by a $|S| \times |S|$ transition matrix A
 - $A_{ij} = p(X_{t+1} = j | X_t = i)$
 - A is a **stochastic** matrix (all rows sum to one)

Learning HMMs

- A bit of notation:
 - $\pi_i = p(Y_1 = i)$
 - $A_{ij} = p(Y_t = j | Y_{t-1} = i)$
 - $b_j(x_t) = p(X_t = x_t | Y_t = j)$
- These parameters describe an HMM, $\theta = \{\pi, A, b\}$
 - We'll derive the updates in the case that the observations X_t are discrete random variables

Learning HMMs

$$\begin{aligned} & \sum_y p(x, y | \theta^s) \log p(x, y | \theta) = \\ &= \sum_y p(x, y | \theta^s) \log \left(p(y_1) p(x_1 | y_1) \prod_{t=2}^T p(y_t | y_{t-1}) p(x_t | y_t) \right) \\ &= \sum_y p(x, y | \theta^s) \log \left(\pi_{y_1} b_{y_1}(x_1) \prod_{t=2}^T A_{y_t, y_{t-1}} b_{y_t}(x_t) \right) \\ &= \sum_y p(x, y | \theta^s) \log \pi_{y_1} + \sum_y p(x, y | \theta^s) \left(\sum_{t=1}^T \log b_{y_t}(x_t) \right) + \sum_y p(x, y | \theta^s) \left(\sum_{t=2}^T \log A_{y_t, y_{t-1}} \right) \\ &= \sum_i p(x, Y_1 = i | \theta^s) \log \pi_i + \sum_{t=1}^T \sum_i p(x, Y_t = i | \theta^s) \log b_i(x_t) + \sum_{t=2}^T \sum_i \sum_j p(x, Y_t = i, Y_{t-1} = j | \theta^s) \log A_{i,j} \end{aligned}$$

Learning HMMs

$$p(x, y|\theta^s) = \pi_{y_1}^{s-1} b_{y_1}^{s-1}(x_1) \prod_{t=2}^T A_{y_t, y_{t-1}}^{s-1} b_{y_t}^{s-1}(x_t)$$

$$\pi_i^s = \frac{p(x, Y_1 = i|\theta^s)}{p(x|\theta^s)}$$

$$b_i^s(k) = \frac{\sum_{t=1}^T p(x, Y_t = i|\theta^s) \delta(x_t = k)}{\sum_{t=1}^T p(x, Y_t = i|\theta^s)}$$

$$A_{ij}^s = \frac{\sum_{t=2}^T p(x, Y_t = i, Y_{t-1} = j|\theta^s)}{\sum_{t=2}^T p(x, Y_{t-1} = j|\theta^s)}$$

Prediction in HMMs

- Once we learn the model, given a new sequence of observations, x_1, \dots, x_T , we want to predict y_T
 - In the tree application, this corresponds to finding the temperature at a specific time given the rings of a tree
 - In the missile tracking example, this corresponds to finding the position of the missile at a particular time
- Want to compute $p(y_T|x, \theta)$

Prediction in HMMs

- Want to compute $p(y_T|x, \theta) = p(x, y_T|\theta)/p(x|\theta)$
 - Direct approach:

$$p(x, Y_T = i|\theta) = \sum_{y_1, \dots, y_{T-1}} p(x, y_1, \dots, y_{T-1}, Y_T = i|\theta)$$

- Dynamic programming approach:

$$\begin{aligned} p(x, Y_T = i|\theta) &= \sum_j p(x, Y_T = i, Y_{T-1} = j) \\ &= \sum_j p(x_1, \dots, x_{T-1}, Y_{T-1} = j) p(x_T, Y_T = i|x_1, \dots, x_{T-1}, Y_{T-1} = j) \\ &= \sum_j p(x_1, \dots, x_{T-1}, Y_{T-1} = j) p(x_T|Y_T = i) p(Y_T = i|Y_{T-1} = j) \end{aligned}$$

Prediction in HMMs

- Want to compute $p(y_T | x, \theta) = p(x, y_T | \theta) / p(x)$

– Direct approach:

$$p(x, Y_T = i | \theta) = \sum_{y_1, \dots, y_{T-1}} p(x, y_1, \dots, y_{T-1}, Y_T = i | \theta)$$

– Dynamic programming approach:

Called **filtering**: easy to implement using dynamic programming

$$\begin{aligned} p(x, Y_T = i | \theta) &= \sum_j p(x, Y_T = i, Y_{T-1} = j) \\ &= \sum_j p(x_1, \dots, x_{T-1}, Y_{T-1} = j) p(x_T, Y_T = i | x_1, \dots, x_{T-1}, Y_{T-1} = j) \\ &= \sum_j p(x_1, \dots, x_{T-1}, Y_{T-1} = j) p(x_T | Y_T = i) p(Y_T = i | Y_{T-1} = j) \end{aligned}$$

Latent Variables & EM

- Previous updates derived for a single observation (to simplify)
 - Can get the general updates for multiple sequences by adding sums in the appropriate places
 - Suffers from the existence of lots of local optima